

PageSpeed Insights

Mobile



**GEBÄUDEREINIGUNG
BERLIN**

**GEBÄUDESERVICE
24 - IHR PARTNER
FÜR GÜNSTIGE
UNTERHALTSREINIGUNG
IN BERLIN**

Gebäudeservice24 ist nun seit über 10 Jahren im Bereich der Gebäudereinigung &

63 / 100 Speed

 **Should Fix:**

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 16 blocking script resources and 1 blocking CSS resources. This causes a delay in rendering your page.

Approximately 28% of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://www.gebaeudereinigungberlin.net/wp-includes/js/jquery/jquery.js>
- <http://www.gebaeudereinigungberlin.net/wp-includes/js/jquery/jquery-migrate.min.js>
- <http://www.gebaeudereinigungberlin.net/wp-content/plugins/kk-star-ratings/js.min.js>
- <http://www.gebaeudereinigungberlin.net/wp-content/themes/vantage/js/jquery.flexslider.min.js>

Mobile

- <http://www.gebaeudereinigungberlin.net/wp-content/themes/vantage/js/jquery.touchSwipe.min.js>
- <http://www.gebaeudereinigungberlin.net/wp-content/themes/vantage/js/jquery.theme-main.min.js>
- <http://www.gebaeudereinigungberlin.net/wp-content/themes/vantage/js/jquery.fitvids.min.js>
- <http://www.gebaeudereinigungberlin.net/wp-content/themes/vantage/premium/extras/mobilenav/js/mobilenav.min.js>
- <http://www.gebaeudereinigungberlin.net/wp-content/plugins/table-of-contents-plus/front.min.js>
- <http://www.gebaeudereinigungberlin.net/wp-content/plugins/ml-slider/assets/sliders/nivoslider/jquery.nivo.slider.pack.js>
- <http://www.gebaeudereinigungberlin.net/wp-includes/js/jquery/jquery.form.min.js>
- <http://www.gebaeudereinigungberlin.net/wp-includes/js/underscore.min.js>
- <http://www.gebaeudereinigungberlin.net/wp-includes/js/backbone.min.js>
- http://www.gebaeudereinigungberlin.net/wp-content/plugins/ninja-forms/js/min/ninja-forms-display.min.js?nf_ver=2.9.27
- <http://www.gebaeudereinigungberlin.net/wp-content/plugins/ml-slider/assets/sliders/flexslider/jquery.flexslider-min.js>
- <http://www.gebaeudereinigungberlin.net/wp-content/plugins/so-widgets-bundle/widgets/google-map/js/js-map.min.js>

[Optimize CSS Delivery](#) of the following:

- <http://www.gebaeudereinigungberlin.net/wp-content/cache/wpfc-minified/5f4009a2907f6385f8d82037840078bc/1503070828index.css>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 260.4KiB (44% reduction).

- Compressing <http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/05/sonderreinigung-berlin.jpg> could save 47.6KiB (56% reduction).

Mobile

- Compressing <http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/05/treppenreinigung.jpg> could save 45.3KiB (56% reduction).
- Compressing http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/05/Bodenreinigung_Berlin1.jpg could save 33.9KiB (59% reduction).
- Compressing <http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/05/grundreinigung-berlin.jpg> could save 29KiB (51% reduction).
- Compressing <http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/05/unterhaltsreinigung-berlin.jpg> could save 27.2KiB (58% reduction).
- Compressing http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/05/Teppichreinigung_Berlin.jpg could save 19.8KiB (56% reduction).
- Compressing <http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/05/polsterreinigung-berlin.jpg> could save 18KiB (55% reduction).
- Compressing http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/06/Fotolia_67498318_S-700x250.jpg could save 11.8KiB (20% reduction).
- Compressing http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/09/Fotolia_71396977_S-700x250.jpg could save 7.5KiB (17% reduction).
- Compressing http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/05/Glasreinigung_Berlin.jpg could save 7.3KiB (40% reduction).
- Compressing http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/09/Fotolia_7825506_S-700x250.jpg could save 6.3KiB (17% reduction).
- Compressing http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/07/Fotolia_85778425_S-700x250.jpg could save 5.1KiB (19% reduction).
- Compressing <http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/05/praxisreinigung-berlin.jpg> could save 1.5KiB (11% reduction).
- Compressing <http://www.gebaeudereinigungberlin.net/wp-content/plugins/ml-slider/assets/sliders/nivoslider/themes/default/arrows.png> could save 185B (23% reduction).



Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

Mobile

[Enable compression](#) for the following resources to reduce their transfer size by 289B (45% reduction).

- Compressing <http://www.gebaeudereinigungberlin.net/wp-admin/admin-ajax.php> could save 289B (45% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- https://maps.googleapis.com/maps/api/js?callback=soGoogleMapInitialize&_=1518927858968 (30 minutes)
- <http://www.google-analytics.com/ga.js> (2 hours)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 2KiB (31% reduction).

- Minifying <http://www.gebaeudereinigungberlin.net/wp-content/cache/wpfc-minified/5f4009a2907f6385f8d82037840078bc/1503070828index.css> could save 2KiB (31% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and

Mobile

execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 4.5KiB (37% reduction).

- Minifying <http://www.gebaeudereinigungberlin.net/wp-content/plugins/ml-slider/assets/sliders/flexslider/jquery.flexslider-min.js> could save 4.3KiB (38% reduction) after compression.
- Minifying <http://www.gebaeudereinigungberlin.net/wp-content/themes/vantage/js/jquery.fitvids.min.js> could save 180B (17% reduction) after compression.

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 46% of the final above-the-fold content could be rendered with the full HTML response snapshot:20.



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

95 / 100 User Experience

Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `` and 4 others are close to other tap targets.
- The tap target `<button type="button"></button>` and 1 others are close to other tap targets.
- The tap target `Gebäudereinigu...hof-Schöneberg` and 21 others are close to other tap targets.

4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Mobile

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



77 / 100 Speed

Should Fix:

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 260.4KiB (44% reduction).

- Compressing <http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/05/sonderreinigung-berlin.jpg> could save 47.6KiB (56% reduction).

Desktop

- Compressing <http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/05/treppenreinigung.jpg> could save 45.3KiB (56% reduction).
- Compressing http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/05/Bodenreinigung_Berlin1.jpg could save 33.9KiB (59% reduction).
- Compressing <http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/05/grundreinigung-berlin.jpg> could save 29KiB (51% reduction).
- Compressing <http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/05/unterhaltsreinigung-berlin.jpg> could save 27.2KiB (58% reduction).
- Compressing http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/05/Teppichreinigung_Berlin.jpg could save 19.8KiB (56% reduction).
- Compressing <http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/05/polsterreinigung-berlin.jpg> could save 18KiB (55% reduction).
- Compressing http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/06/Fotolia_67498318_S-700x250.jpg could save 11.8KiB (20% reduction).
- Compressing http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/09/Fotolia_71396977_S-700x250.jpg could save 7.5KiB (17% reduction).
- Compressing http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/05/Glasreinigung_Berlin.jpg could save 7.3KiB (40% reduction).
- Compressing http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/09/Fotolia_7825506_S-700x250.jpg could save 6.3KiB (17% reduction).
- Compressing http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/07/Fotolia_85778425_S-700x250.jpg could save 5.1KiB (19% reduction).
- Compressing <http://www.gebaeudereinigungberlin.net/wp-content/uploads/2015/05/praxisreinigung-berlin.jpg> could save 1.5KiB (11% reduction).
- Compressing <http://www.gebaeudereinigungberlin.net/wp-content/plugins/ml-slider/assets/sliders/nivoslider/themes/default/arrows.png> could save 185B (23% reduction).



Consider Fixing:

Enable compression

Desktop

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 289B (45% reduction).

- Compressing <http://www.gebaeudereinigungberlin.net/wp-admin/admin-ajax.php> could save 289B (45% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- https://maps.googleapis.com/maps/api/js?callback=soGoogleMapInitialize&_=1518927866256 (30 minutes)
- <http://www.google-analytics.com/ga.js> (2 hours)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 2KiB (31% reduction).

- Minifying <http://www.gebaeudereinigungberlin.net/wp-content/cache/wpfc-minified/5f4009a2907f6385f8d82037840078bc/1503070828index.css> could save 2KiB (31% reduction) after compression.

Minify JavaScript

Desktop

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 4.5KiB (37% reduction).

- Minifying <http://www.gebaeudereinigungberlin.net/wp-content/plugins/ml-slider/assets/sliders/flexslider/jquery.flexslider-min.js> could save 4.3KiB (38% reduction) after compression.
- Minifying <http://www.gebaeudereinigungberlin.net/wp-content/themes/vantage/js/jquery.fitvids.min.js> could save 180B (17% reduction) after compression.



5 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

You have no render-blocking resources. Learn more about [removing render-blocking resources](#).

Prioritize visible content

Desktop

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).